KEY WORD INDEX

ABO blood group substances
Infertility; ABO incompatibility and infertility (Ogbimi, A. O., 299)
ABO incompatibility and infertility
infertility; ABO blood group substances (Ogbimi, A. O., 299)
activated macrophages
enhanced inflammatory responsiveness; activated polymorphonuclear leukocytes (Antonissen, A. C. J. M., 21)
activated polymorphonuclear leukocytes
enhanced inflammatory responsiveness; activated macrophages (Antonissen, A. C. J. M., 21)
adjuvant
liposome; tetanus toxoid; immune response (Davis, D., 341)
adrenoceptor
gerontology; autoimmune strain; receptor; density and age; affinity and age (Kohno, A., 75)
adult T-cell leukemia virus
protein pX27; HLA-DQ antigen (Zav'yalov, V. P., 139)
affigel blue chromatography
monoclonal antibody purification; monoclonal IgM (Johnson, E., 159)
affinity and age
adrenoceptor; gerontology; autoimmune strain; receptor; density and age (Kohno, A., 75)
aging
FMLP; TFP; monocyte; Ca^{2+} transport (Fülöp, T., Jr., 283)
AIDS
complement receptor (CR1); complement receptor (CR3); systemic lupus erythematosus; HIV; podocyte (Kazatchkine, M. D., 191)
ankylosing spondylitis
enterobacteria; HLA-B27; IgA (Van Bohemen, Ch. G., 303)
antibody dependent cellular cytotoxicity
C3; natural killer; associative recognition (Gergely, J., 243)
antibody forming cell
lipopolysaccharide; immunosuppression; immunopotentiation (Van Rooijen, N., 313)
antibody response
IFN-γ; lymphokine; T-cell replacing factor (Latta, S. L., 355)
anti-DNA antibody
autoantibody; autoimmunity; autoantibody, idiotypes of; autoimmunity, virus-induced (Schattner, A., 143)
anti-dsDNA monoclonal antibody
anti-poly(ADP-ribose); anti-idiotype; MRL mice; ELISA (Kubota, T., 53)
anti-glycolipid monoclonal antibody
antitumor activity; immunotoxin (Junqua, S., 167)
anti-idiotype
anti-dsDNA monoclonal antibody; anti-poly(ADP-ribose); MRL mice; ELISA (Kubota, T., 53)
anti-poly(ADP-ribose)
anti-dsDNA monoclonal antibody; anti-idiotype; MRL mice; ELISA (Kubota, T., 53)
antitumor activity
anti-glycolipid monoclonal antibody; immunotoxin (Junqua, S., 167)
arachidonic acid
α-fetoprotein; prostaglandin; leukotriene; T-lymphocyte (Aussel, C., 133)
associative recognition
C3; antibody dependent cellular cytotoxicity; natural killer (Gergely, J., 243)
autoantibody
autoimmunity; anti-DNA antibody; autoantibody, idiotypes of; autoimmunity, virus-induced (Schattner, A., 143)
autoantibody
sodium azide; lymphocyte activation (Daenke, S., 331)
autoantibody, idiotypes of
autoantibody; autoimmunity; anti-DNA antibody; autoimmunity, virus-induced (Schattner, A., 143)
autoimmune strain
adrenoceptor; gerontology; receptor; density and age; affinity and age (Kohno, A., 75)
autoimmunity
autoantibody; anti-DNA antibody; autoantibody, idiotypes of; autoimmunity, virus-induced (Schattner, A., 143)
autoimmunity, virus-induced
autoantibody; autoimmunity; anti-DNA antibody; autoantibody, idiotypes of (Schattner, A., 143)

bactericidal effect
gram-negative bacterium; lipopolysaccharide; outer membrane protein; complement; C1; C1q (Loos, M., 203)
bacteroides
neutrophil; *Fusobacterium;* cytokines (Seow, W. K., 95)
basophilic leukemia cell
binding property; histamine release; IgE receptor (Stracke, M. L., 287)
B-cell activator
IgA subclass (Walker, L., 65)
behavioral conditioning
immunoregulation; immunostimulation; T lymphocyte; levamisole (Husband, A. J., 91)
binding
rIL-2; IL-2 receptor; toad; splenocyte (Langeberg, L., 103)
binding property
histamine release; basophilic leukemia cell; IgE receptor (Stracke, M. L., 287)
BioRex-70
classical complement pathway; C1q; C3 (Vandenberg, R. J., 155)

C1
gram-negative bacterium; lipopolysaccharide; outer membrane protein; complement; C1q; bactericidal effect (Loos, M., 203)
C1
complement; C4; immune complex; chronic lymphocytic leukemia (Füst, G., 255)
C1 activation
C1 inactivator–C1r–C1s complex; electroimmunoassay; PAGE; immunoblotting; rheumatoid arthritis (Laurell, A.-B., 249)
C1 inactivator–C1r–C1s complex
C1 activation; electroimmunoassay; PAGE; immunoblottng; rheumatoid arthritis (Laurell, A.-B., 249)
C3
classical complement pathway; BioRex-70; C1q (Vandenberg, R. J., 155)
C3
antibody dependent cellular cytotoxicity; natural killer; associative recognition (Gergely, J., 243)
C3 receptor
complement; complement receptor; protein sequence homology (Sim, R. B., 183)
C3b acceptor
complement receptor; lymphocyte macrophage; immune response (Dierich, M. P., 235)
C4
complement; C1; immune complex; chronic lymphocytic leukemia (Füst, G., 255)
C5–9
complement; mouse; polyethylene glycol (Beekhuizen, H., 69)
C5b-like C5
human C5; oxygen radical (Vogt, W., 209)
Ca^{2+} transport
FMLP; TFP; aging; monocyte (Fülöp, T., Jr., 283)
calcium ion
lymphocyte stimulation; serum-free culture; concanavalin A; thiol groups; SiO_2 (Burger, M., 277)
CD45
monoclonal antibody; helper/inducer; suppressor/inducer; maturation; CD45R; heterogeneity; T subset (Beverley, P. C. L., 263)
CD45R
monoclonal antibody; helper/inducer; suppressor/inducer; maturation; CD45; heterogeneity; T subset (Beverley, P. C. L., 263)
cholera toxin
synthetic peptide; synthetic adjuvant; synthetic carrier (Jacob, C. O., 43)
chronic lymhocytic leukemia
complement; C1; C4; immune complex (Füst, G., 255)
classical complement pathway
BioRex-70; C1q; C3 (Vandenberg, R. J., 155)
clonal activation
cytotoxic lymphocyte precursor; monoclonal anti-CD3 antibody; feeder cell requirement (Brucker, C., 121)
C1q
classical complement pathway; BioRex-70; C3 (Vandenberg, R. J., 155)
C1q
gram-negative bacterium; lipopolysaccharide; outer membrane protein; complement; C1; bactericidal effect (Loos, M., 203)
complement
mouse; C5–9; polyethylene glycol (Beekhuizen, H., 69)
complement
complement receptor; protein sequence homology; C3 receptor (Sim, R. B., 183)
complement
gram negative bacterium; membrane attack complex (Joiner, K. A., 197)
complement
gram-negative bacterium; lipopolysaccharide; outer membrane protein; C1; C1q; bactericidal effect (Loos, M., 203)
complement
immune complex (Schifferli, J. A., 225)
complement
C1; C4; immune complex; chronic lymphocytic leukemia (Füst, G., 255)
complement activation
lactoferrin; immune complex precipitation; immune complex solubilization (Kulics, J., 349)
complement component
inherited deficiency (Alper, C. A., 175)
complement immune complex
macrophage; phagocytosis; complement receptor; intracellular degradation; mononuclear phagocyte system (Daha, M. R., 217)
complement inhibitor
decay accelerating factor (DAF); complement superfamily; DAF homology (Nicholson-Weller, A., 307)
complement receptor
complement; protein sequence homology; C3 receptor (Sim, R. B., 183)
complement receptor
complement immune complex; macrophage; phagocytosis; intracellular degradation; mononuclear phagocyte system (Daha, M. R., 217)
complement receptor
immune complex; immune complex depositions; glomerulonephritis; glomerulus (Nydegger, U. E., 229)
complement receptor
C3b acceptor; lymphocyte macrophage; immune response (Dierich, M. P., 235)
complement receptor (CR1)
complement receptor (CR3); systemic lupus erythematosus; AIDS; HIV; podocyte (Kazatchkine, M. D., 191)
complement receptor (CR3)
complement receptor (CR1); systemic lupus erythematosus; AIDS; HIV; podocyte (Kazatchkine, M. D., 191)
complement superfamily
decay accelerating factor (DAF); DAF homology; complement inhibitor (Nicholson-Weller, A., 307)
concanavalin A
lymphocyte stimulation; serum-free culture; thiol groups; calcium ions; SiO_2 (Burger, M., 277)

contact sensitivity
T suppressor afferent cells; H-2 restriction (Dieli, F., 49)
cytokines
neutrophil; *Fusobacterium;* bacteroides (Seow, W. K., 95)
cytotoxic T cell
thymocyte-activating factor; fibroblast (Okai, Y., 1)
cytotoxic lymphocyte precursor
clonal activation; monoclonal anti-CD3 antibody; feeder cell requirement (Brucker, C., 121)
cytotoxicity
immunotoxin; ricin; hybrid antibody (Laky, M., 127)

DAF homology
decay accelerating factor (DAF); complement superfamily (Nicholson-Weller, A., 307)
decay accelerating factor (DAF)
complement superfamily; DAF homology; complement inhibitor (Nicholson-Weller, A., 307)
density and age
adrenoceptor; gerontology; autoimmune strain; receptor; affinity and age (Kohno, A., 75)
dog
ELISA; lymphocyte stimulation; IgG (Letwin, B. W., 79)

ELISA
anti-dsDNA monoclonal antibody; anti-poly(ADP-ribose); anti-idiotype; MRL mice (Kubota, T., 53)
ELISA
dog; lymphocyte stimulation; IgG (Letwin, B. W., 79)
electroimmunoassay
C1 activation; C1 inactivator–C1r–C1s complex; PAGE; immunoblotting; rheumatoid arthritis (Laurell, A.-B., 249)
enhanced inflammatory responsiveness
activated polymorphonuclear leukocytes; activated macrophages (Antonissen, A. C. J. M., 21)
enterobacteria
ankylosing spondylitis; HLA-B27; IgA (Van Bohemen, Ch. G., 303)
exercise
S. typhi H antigen; humoral response (Liu, Y. G., 117)

feeder cell requirement
clonal activation; cytotoxic lymphocyte precursor; monoclonal anti-CD3 antibody (Brucker, C., 121)
α-fetoprotein
arachidonic acid; prostaglandin; leukotriene; T-lymphocyte (Aussel, C., 133)
fibroblast
thymocyte-activating factor; cytotoxic T cell (Okai, Y., 1)
FMLP
TFP; aging; monocyte; Ca^{2+} transport (Fülöp, T., Jr., 283)
follicular dendritic cells
lymphocyte proliferation and differentiation (Cormann, N., 29)
Fusobacterium
neutrophil; bacteroides; cytokines (Seow, W. K., 95)

gerontology
adrenoceptor; autoimmune strain; receptor; density and age; affinity and age (Kohno, A., 75)
glomerular CR1
phenotypic distribution (Matre, R., 321)
glomerulonephritis
complement receptor; immune complex; immune complex depositions; glomerulus (Nydegger, U. E., 229)
glomerulus
complement receptor; immune complex; immune complex depositions; glomerulonephritis (Nydegger, U. E., 229)
gram negative bacterium
complement; membrane attack complex (Joiner, K. A., 197)
gram-negative bacterium
lipopolysaccharide; outer membrane protein; complement; C1; C1q; bactericidal effect (Loos, M., 203)
granuloma transfer in athymic mice
initiation of granulomatous reaction; T-cell function in granulomatous disease; T-cell independent granuloma (Epstein, W. L., 59)

H-2 restriction
T suppressor afferent cells; contact sensitivity (Dieli, F., 49)
HIV
complement receptor (CR1); complement receptor (CR3); systemic lupus erythematosus; AIDS; podocyte (Kazatchkine, M. D., 191)
helper/inducer
monoclonal antibody; suppressor/inducer; maturation; CD45; CD45R; heterogeneity; T subset (Beverley, P. C. L., 263)
hepatitis-B virus
NK activity; post-necrotic cirrhosis; Zn level (Yoffe, B., 15)
heterogeneity
monoclonal antibody; helper/inducer; suppressor/inducer; maturation; CD45; CD45R; T subset (Beverley, P. C. L., 263)
histamine release
binding property; basophilic leukemia cell; IgE receptor (Stracke, M. L., 287)
HLA-B27
ankylosing spondylitis; enterobacteria; IgA (Van Bohemen, Ch. G., 303)
HLA-DQ antigen
adult T-cell leukemia virus; protein pX27 (Zav'yalov, V. P., 139)
human C5
C5b-like C5; oxygen radical (Vogt, W., 209)
humoral response
S. typhi H antigen; exercise (Liu, Y. G., 117)
hybrid antibody
immunotoxin; ricin; cytotoxicity (Laky, M., 127)
hybridoma
thymocyte conditioned medium; in vitro sensitization; plaque formation (White, L. L., 87)

IFN-γ
antibody response; lymphokine; T-cell replacing factor (Latta, S. L., 355)

IgA
ankylosing spondylitis; enterobacteria; HLA-B27 (Van Bohemen, Ch. G., 303)
IgA subclass
B-cell activator (Walker, L., 65)
IgE receptor
binding property; histamine release; basophilic leukemia cell (Stracke, M. L., 287)
IgG
dog; ELISA; lymphocyte stimulation (Letwin, B. W., 79)
IL-2 receptor
rIL-2; binding; toad; splenocyte (Langeberg, L., 103)
immune complex
complement (Schifferli, J. A., 225)
immune complex
complement; C1, C4; chronic lymphocytic leukemia (Füst, G., 255)
immune complex
complement receptor; immune complex depositions; glomerulonephritis; glomerulus (Nydegger, U. E., 229)
immune complex depositions
complement receptor; immune complex; glomerulonephritis; glomerulus (Nydegger, U. E., 229)
immune complex precipitation
lactoferrin; immune complex solubilization; complement activation (Kulics, J., 349)
immune complex solubilization
lactoferrin; immune complex precipitation; complement activation (Kulics, J., 349)
immune response
complement receptor; C3b acceptor; lymphocyte macrophage (Dierich, M. P., 235)
immune response
liposome; adjuvant; tetanus toxoid (Davis, D., 341)
immunoblotting
C1 activation; C1 inactivator–C1r–C1s complex; electroimmunoassay; PAGE; rheumatoid arthritis (Laurell, A.-B., 249.
immunopotentiation
lipopolysaccharide; antibody forming cell; immunosuppression (Van Rooijen, N., 313)
immunoregulation
immunostimulation; behavioral conditioning; T lymphocyte; levamisole (Husband, A. J., 91)
immunoresponsiveness
K. pneumoniae infection; vaccination; polygenic; mouse (Mouton, D., 335)
immunostimulation
immunoregulation; behavioral conditioning; T lymphocyte; levamisole (Husband, A. J., 91)
immunosuppression
lipopolysaccharide; antibody forming cell; immunopotentiation (Van Rooijen, N., 313)
immunotoxin
protein synthesis; reticulocyte lysate; richin; toxin (Press, O. W., 37)
immunotoxin
ricin; hybrid antibody; cytotoxicity (Laky, M., 127)
immunotoxin
anti-glycolipid monoclonal antibody; antitumor activity (Junqua, S., 167)
in vitro sensitization
thymocyte conditioned medium; hybridoma; plaque formation (White, L. L., 87)
infertility
ABO incompatibility and infertility; ABO blood group substances (Ogbimi, A. O., 299)
inherited deficiency
complement component (Alper, C. A., 175)
initiation of granulomatous reaction
granuloma transfer in athymic mice; T-cell function in granulomatous disease; T-cell independent granuloma (Epstein, W. L., 59)
interleukin-2
levamisole; T-cell proliferation (Redondo, J. M., 111)
intracellular degradation
complement immune complex; macrophage; phagocytosis; complement receptor; mononuclear phagocyte system (Daha, M. R., 217)

***K. pneumoniae* infection**
vaccination; polygenic; immunoresponsiveness; mouse (Mouton, D., 335)

lactoferrin
immune complex precipitation; immune complex solubilization; complement activation (Kulics, J., 349)
LAK cell
nude mouse; recombinant interleukin-2; natural killer (NK) cell (Bubeník, J., 325)
LAK cells
monoclonal antibodies; LFA-1; Lyt 2 (Belfrage, H., 293)
leukotriene
-fetoprotein; arachidonic acid; prostaglandin; T-lymphocyte (Aussel, C., 133)
levamisole
immunoregulation; immunostimulation; behavioral conditioning; T lymphocyte (Husband, A. J., 91)
levamisole
interleukin-2; T-cell proliferation (Redondo, J. M., 111)
LFA-1
LAK cells; monoclonal antibodies; Lyt 2 (Belfrage, H., 293)
lipopolysaccharide
gram-negative bacterium; outer membrane protein; complement; C1; C1q; bactericidal effect (Loos, M., 203)
lipopolysaccharide
antibody forming cell; immunosuppression; immunopotentiation (Van Rooijen, N., 313)
liposome
adjuvant; tetanus toxoid; immune response (Davis, D., 341)
lymphocyte activation
sodium azide; autoantibody (Daenke, S., 331)
lymphocyte macrophage
complement receptor; C3b acceptor; immune response (Dierich, M. P., 235)

lymphocyte proliferation and differentiation
follicular dendritic cells (Cormann, N., 29)
lymphocyte stimulation
orosomucoid glycoprotein (Sing, V. K., 9)
lymphocyte stimulation
dog; ELISA; IgG (Letwin, B. W., 79)
lymphocyte stimulation
serum-free culture; concanavalin A; thiol groups; calcium ions; SiO_2 (Burger, M., 277)
lymphokine
IFN-γ; antibody response; T-cell replacing factor (Latta, S. L., 355)
Lyt 2
LAK cells; monoclonal antibodies; LFA-1 (Belfrage, H., 293)

macrophage
complement immune complex; phagocytosis; complement receptor; intracellular degradation; mononuclear phagocyte system (Daha, M. R., 217)
macrophage migration
protease inhibitor (Vilić, I. M., 271)
maturation
monoclonal antibody; helper/inducer; suppressor/inducer; CD45; CD45R; heterogeneity; T subset (Beverley, P. C. L., 263)
membrane attack complex
complement; gram negative bacterium (Joiner, K. A., 197)
monoclonal IgM
monoclonal antibody purification; affigel blue chromatography (Johnson, E., 159)
monoclonal anti-CD3 antibody
clonal activation; cytotoxic lymphocyte precursor; feeder cell requirement (Brucker, C., 121)
monoclonal antibodies
LAK cells; LFA-1; Lyt 2 (Belfrage, H., 293)
monoclonal antibody
helper/inducer; suppressor/inducer; maturation; CD45; CD45R; heterogeneity; T subset (Beverley, P. C. L., 263)
monoclonal antibody purification
monoclonal IgM; affigel blue chromatography (Johnson, E., 159)
monocyte
FMLP; TFP; aging; Ca^{2+} transport (Fülöp, T., Jr., 283)
mononuclear phagocyte system
complement immune complex; macrophage, phagocytosis; complement receptor; intracellular degradation (Daha, M. R., 217)
mouse
complement; C5–9; polyethylene glycol (Beekhuizen, H., 69)
mouse
K. pneumoniae infection; vaccination; polygenic; immunoresponsiveness (Mouton, D., 335)
MRL mouse
anti-dsDNA monoclonal antibody; anti-poly(ADP-ribose); anti-idiotype; ELISA (Kubota, T., 53)

natural killer
C3; antibody dependent cellular cytotoxicity; associative recognition (Gergely, J., 243)
natural killer (NK) cell
nude mouse; recombinant interleukin-2; LAK cell (Bubeník, J., 325)
neutrophil
Fusobacterium; bacteroides; cytokines (Seow, W. K., 95)
NK activity
post-necrotic cirrhosis; hepatitis-B virus; Zn level (Yoffe, B., 15)
nude mouse
recombinant interleukin-2; LAK cell; natural killer (NK) cell (Bubeník, J., 325)

orosomucoid glycoprotein
lymphocyte stimulation (Sing, V. K., 9)
outer membrane protein
gram-negative bacterium; lipopolysaccharide; complement; C1, C1q; bactericidal effect (Loos, M., 203)
oxygen radical
human C5; C5b-like C5 (Vogt, W., 209)

PAGE
C1 activation; C1 inactivator–C1r–C1s complex; electroimmunoassay; immunoblotting; rheumatoid arthritis (Laurell, A.-B., 249)
phagocytosis
complement immune complex; macrophage; complement receptor; intracellular degradation; mononuclear phagocyte system (Daha, M. R., 217)
phenotypic distribution
glomerular CR1 (Matre, R., 321)
plaque formation
thymocyte conditioned medium; in vitro sensitization; hybridoma (White, L. L., 87)
podocyte
complement receptor (CR1); complement receptor (CR3); systemic lupus erythematosus; AIDS; HIV (Kazatchkine, M. D., 191)
polyethylene glycol
complement; mouse; C5–9 (Beekhuizen, H., 69)
polygenic
K. pneumoniae infection; vaccination; immunoresponsiveness; mouse (Mouton, D., 335)
post-necrotic cirrhosis
NK activity; hepatitis-B virus; Zn Level (Yoffe, B., 15)
prostaglandin
α-fetoprotein; arachidonic acid; leukotriene; T-lymphocyte (Aussel, C., 133)
protease inhibitor
macrophage migration (Vilić, I. M., 271)
protein pX27
adult T-cell leukemia virus; HLA-DQ antigen (Zav'yalov, V. P., 139)
protein sequence homology
complement; complement receptor; C3 receptor (Sim, R. B., 183)
protein synthesis
immunotoxin; reticulocyte lysate; richin; toxin (Press, O. W., 37)

rIL-2
IL-2 receptor; binding; toad; splenocyte (Langeberg, L., 103)
receptor
adrenoceptor; gerontology; autoimmune strain; density and age; affinity and age (Kohno, A., 75)
recombinant interleukin-2
nude mouse; LAK cell; natural killer (NK) cell (Bubeník, J., 325)
reticulocyte lysate
immunotoxin; protein synthesis; richin; toxin (Press, O. W., 37)
rheumatoid arthritis
C1 activation; C1 inactivator–C1r–C1s complex; electroimmunoassay; PAGE; immunoblottng (Laurell, A.-B., 249)
richin
immunotoxin; protein synthesis; reticulocyte lysate; toxin (Press, O. W., 37)
ricin
immunotoxin; hybrid antibody; cytotoxicity (Laky, M., 127)

***S. typhi* H antigen**
humoral response; exercise (Liu, Y. G., 117)
serum-free culture
lymphocyte stimulation; concanavalin A; thiol groups; calcium ions; SiO_2 (Burger, M., 277)
SiO_2
lymphocyte stimulation; serum-free culture; concanavalin A; thiol groups; calcium ions (Burger, M., 277)
sodium azide
autoantibody; lymphocyte activation (Daenke, S., 331)
splenocyte
rIL-2; IL-2 receptor; binding; toad (Langeberg, L., 103)
suppressor/inducer
monoclonal antibody; helper/inducer; maturation; CD45; CD45R; heterogeneity; T subset (Beverley, P. C. L., 263)
synthetic adjuvant
cholera toxin; synthetic peptide; synthetic carrier (Jacob, C. O., 43)
synthetic carrier
cholera toxin; synthetic peptide; synthetic adjuvant (Jacob, C. O., 43)
synthetic peptide
cholera toxin; synthetic adjuvant; synthetic carrier (Jacob, C. O., 43)
systemic lupus erythematosus
complement receptor (CR1); complement receptor (CR3); AIDS; HIV; podocyte (Kazatchkine, M. D., 191)

T-cell function in granulomatous disease
initiation of granulomatous reaction; granuloma transfer in athymic mice; T-cell independent granuloma (Epstein, W. L., 59)
T-cell independent granuloma
initiation of granulomatous reaction; granuloma transfer in athymic mice; T-cell function in granulomatous disease (Epstein, W. L., 59)
T-cell proliferation
levamisole; interleukin-2 (Redondo, J. M., 111)
T-cell replacing factor
IFN-γ; antibody response; lymphokine (Latta, S. L., 355)
T lymphocyte
immunoregulation; immunostimulation; behavioral conditioning; levamisole (Husband, A. J., 91)
T-lymphocyte
α-fetoprotein; arachidonic acid; prostaglandin; leukotriene (Aussel, C., 133)
T subset
monoclonal antibody; helper/inducer; suppressor/inducer; maturation; CD45; CD45R; heterogeneity (Beverley, P. C. L., 263)
T suppressor afferent cells
contact sensitivity; H-2 restriction (Dieli, F., 49)
tetanus toxoid
liposome; adjuvant; immune response (Davis, D., 341)
TFP
FMLP; aging; monocyte; Ca^{2+} transport (Fülöp, T., Jr., 283)
thiol group
lymphocyte stimulation; serum-free culture; concanavalin A; calcium ions; SiO_2 (Burger, M., 277)
thymocyte conditioned medium
in vitro sensitization; hybridoma; plaque formation (White, L. L., 87)
thymocyte-activating factor
fibroblast; cytotoxic T cell (Okai, Y., 1)
toad
rIL-2; IL-2 receptor; binding; splenocyte (Langeberg, L., 103)
toxin
immunotoxin; protein synthesis; reticulocyte lysate; richin (Press, O. W., 37)

vaccination
K. pneumoniae infection; polygenic; immunoresponsiveness; mouse (Mouton, D., 335)

Zn level
NK activity; post-necrotic cirrhosis; hepatitis-B virus (Yoffe, B., 15)

AUTHOR INDEX

Abrignani, S., see Dieli, F., 49
Akatsuka, T., see Kubota, T., 53
Alper, C. A., Inherited deficiencies of complement components in man, 175
Antonissen, A. C. J. M., Lemmens, P. J. M. R., Van den Bosch, J. F. and Van Boven, C. P. A., Transfer of enhanced resistance against Listeria monocytogenes induced with ribosomal RNA and the adjuvant dimethyldioctadecylammonium bromide, 21
Arnaud, P., see Johnson, E., 159
Arnon, R., see Jacob, C. O., 43
Aussel, C. and Fehlmann, M., Effect of alpha-fetoprotein on arachidonic acid metabolism in a human T-cell line, 133

Barzilai, D., see Yoffe, B., 15
Basciano, L. K., see Stracke, M. L., 287
Beadling, C., see Langeberg, L., 103
Beekhuizen, H., Van Dijk, H. and Willers, J. M. N., Study on the pre-haemolytic complex formed upon polyethylene glycol-induced activation of mouse complement, 69
Belfrage, H., Bhiladvala, P. and Kalland, T., Functionally involved cell surface antigens on murine lymphokine activated killer cells, 293
Ben-Porath, E., see Yoffe, B., 15
Beverley, P. C. L., Human T cell subsets (Minireview), 263
Bhiladvala, P., see Belfrage, H., 293
Brown, R., see Husband, A. J., 91
Brucker, C., Reimann, J., Wagner, H. and Kabelitz, D., Clonal activation of cytotoxic lymphocyte precursors by monoclonal anti-CD3 antibody: analysis of feeder cell requirements, 121
Bubeník, J., Kieler, J., Tromholt, V., Indrová, M. and Lotzová, E., Recombinant interleukin-2 inhibits growth of human tumor xenografts in congenitally athymic mice, 325
Burger, M., Hess, M. W. and Cottler, H., Interplay between extracellular–SH groups and Ca^{2+} in their mitogenic action on murine lymphocytes: the role of SiO_2, 277

Cinader, B., see Kohno, A., 75
Claassen, E., see Van Rooijen, N., 313
Clas, F., see Loos, M., 203
Coligan, J. E., see Nicholson-Weller, A., 307
Cormann, N., Lesage, F., Heinen, E., Schaaf-Lafontaine, N., Kinet-Denoel, C. and Simar, L. J., Isolation of follicular dendritic cells from human tonsils and adenoids. V. Effect on lymphocyte proliferation and differentiation, 29
Cottier, H., see Burger, M., 277
Cox, K. O., see Daenke, S., 331
Czink, E., see Füst, G., 255

Daenke, S. and Cox, K. O., B-cells purified using azide give different responses in vitro to B-cells purified without azide, 331
Daha, M. R., Veerhuis, R. and Van Es, L. A., Activation of complement by soluble IgG aggregates and their subsequent interaction with macrophages, 217
Davis, A., see Davis, D., 341
Davis, D., Davies, A. and Gregoriadis, G., Liposomes as adjuvants with immunopurified tetanus toxoid: the immune response, 341
Day, A. J., see Sim, R. B., 183
Denesyuk, A. I., see Zav'yalov, V. P., 139
Dieli, F., Abrignani, S. and Salerno, A., T suppressor afferent cells which regulate contact sensitivity to picryl chloride act across genetic barrier, 49
Dierich, M. P., Erdei, A., Huemer, H., Petzer, A., Stauder, R., Schulz, T. F. and Gergely, J., Involvement of complement in B-cell, T-cell and monocyte/macrophage activation, 235

Easterbrook-Smith, S. B., see Vandenberg, R. J., 155
Eisenberg, L., see Latta, S. L., 355
Epstein, W. L., Okamoto, M., Suya, H. and Fukuyama, K., T-cell independent transfer of organized granuloma formation, 59
Erdei, A., see Dierich, M. P., 235
Erdei, A., see Gergely, J., 243
Erdei, A., see Sim, R. B., 183

Farris, M. A., see Walker, L., 65
Fehlmann, M., see Aussel, C., 133
Fischer, A., see Kazatchkine, M. D., 191
Fischer, E., see Kazatchkine, M. D., 191
Fóris, G., see Fülöp, T., Jr., 283
Frank, M. M., see Joiner, K. A., 197
Fresno, M., see Redondo, J. M., 11
Fries, L. F., see Joiner, K. A., 197
Fudenberg, H. H., see Singh, V. K., 9
Fukuyama, K., see Epstein, W. L., 59
Fülöp, T., Jr., Hauck, M., Wórum, I., Fóris, G. and Leövey, A., Alterations of the FMLP-induced Ca^{2+} efflux from human monocytes with aging, 283
Füst, G., Miszlay, Z., Czink, E., Varga, L., Pálóczi, K., Szegedi, G. and Hollán, S. R., C1 and C4 abnormalities in chronic lymphocytic leukaemia and their significance, 255

Gergely, J., Erdei, A., Sarmay, G. and Klein, E., Effector of target cell selection mediated by C3 bridges, 243
Gergely, J., see Dierich, M. P., 235
Gershon, H., see Yoffe, B., 15
Ghetie, V., see Laky, M., 127
Goe The, H. S., see Van Bohemen, Ch. G., 303
Gregoriadis, G., see Davis, D., 341

Haller, Y., see Vogt, W., 209
Halvorsen, O. J., see Matre, R., 321
Hauck, M., see Fülöp, T., Jr., 283
Heinen, E., see Cormann, N., 29
Hess, M. W., see Burger, M., 277
Hesse, D., see Vogt, W., 209
Hollán, S. R., see Füst, G., 255
Huemer, H., see Dierich M. P., 235
Husband, A. J., King, M. G. and Brown, R., Behaviourally conditioned modification of T cell subset ratios in rats, 91

Indrová, M., see Bubeník, J., 325

Jacob, C. O., Arnon, R. and Sela, M., Anti-cholera response elicited by a completely synthetic antigen with built-in adjuvanticity administered in aqueous solution, 43
Johnson, E., Miribel, L., Arnaud, P. and Tsang, K. Y., Purification of IgM monoclonal antibody from murine ascitic fluid by a two-step column chromatography procedure, 159
Johnson, G. D., see Walker, L., 65
Joiner, K. A., Fries, L. F. and Frank, M. M., Studies of antibody and complement function in host defense against bacterial infection, 197
Jouvin, M. H., see Kazatchkine, M. D., 191
Junqua, S., Wiels, J, Tursz, T. and Le Pecq, J. B., Antitumor activity against L1210 mouse leukemia of immunotoxins containing a monoclonal antibody to the glycolipid globotriaosylceramide, 167

Kabelitz, D., see Brucker, C., 121
Kalland, T., see Belfrage, H., 293
Kanai, Y., see Kubota, T., 53
Kazatchkine, M. D., Jouvin, M. H., Wilson, J. G., Fischer, E. and Fischer, A., Human diseases associated with C3 receptor deficiencies, 191
Kieler, J., see Bubeník, J., 325
Kijlstra, A., see Kulics, J., 349
Kinet-Denoel, C., see Cormann, N., 29
King, M. G., see Husband, A. J., 91
Klein, E., see Gergely, J., 243
Kohno, A., Cinader, B. and Seeman, P., Age-related changes of β-adrenoceptors in spleen lymphocytes and cerebral cortex of NZB/BIN mice, 75
Kors, N., see Van Rooijen, N., 313
Kubota, T., Akatsuka, T. and Kanai, Y., A monoclonal anti-double stranded DNA antibody from an autoimmune MRL/Mp-lpr/lpr mouse: specificity and idiotype in serum immunoglobulins, 53
Kulics, J. and Kijlstra, A., The effect of lactoferrin on complement mediated modulation of immune complex size, 349

Laky, M., Mota, G., Moraru, I. and Ghetie, V., Binding and cytotoxic effect of ricin toxin on multivalent hybrid antibody-coated target cells, 127
Langeberg, L., Ruben, L. N., Malley, A., Shiigi, S. and Beadling, C., Toad splenocytes bind human IL-2 and anti-human IL-2 receptor antibody specifically, 103
Latta, S. L., Eisenberg, L., Spitalny, G. L. and Quintans, J., IFN- is not an essential mediator of murine antibody responses in vitro, 355
Laurell, A.-B., Mårtensson, U. and Sjöholm, A. G., C1 activation and dissociation in disease, 249
Le Pecq, J. B., see Junqua, S., 167
Lemmens, P. J. M. R., see Antonissen, A. C. J. M., 21
Leövey, A., see Fülöp, T., Jr., 283
Lesage, F., see Cormann, N., 29
Letwin, B. W. and Quimby, F. W., Effects of concanavalin A, phytohemagglutinin, pokeweed mitogen, and lipopolysaccharide on the replication and immunoglobulin synthesis by canine peripheral blood lymphocytes in vitro, 79
Liu, Y. G. and Wang, S. Y., The enhancing effect of exercise on the production of antibody to *Salmonella typhi* in mice, 117
Loos, M. and Clas, F., Antibody-independent killing of gram-negative bacteria via the classical pathway of complement, 203
López-Guerrero, J. A., see Redondo, J. M., 11
Lozová, E., see Bubeník, J., 325

Malhotra, V., see Sim, R. B., 183
Malley, A., see Langeberg, L., 103
Mårtensson, U., see Laurell, A.-B., 249
Martin, P. J., see Press, O. W., 37
Mason, D. W., Subpopulations of T lymphocytes (Commentary), 269
Matre, R., Vedeler, C. A. and Halvorsen, O. J., Expression of glomerular C3b receptor activity in normal human kidneys, 321
Mevel, J.-C., see Mouton, D., 335
Miribel, L., see Johnson, E., 159
Miszlay, Z., see Füst, G., 255
Moraru, I., see Laky, M., 127
Mota, G., see Laky, M., 127
Mouton, D., Parant, M., Mevel, J.-C. and Parant, F., Dose-dependent efficacy of vaccination against *K. pneumoniae* in high and low antibody responder lines of mice, 335
Mulder, C. J. J., see Van Bohemen, Ch. G., 303

Nabbe, A. J. J. M., see Van Bohemen, Ch. G., 303
Nicholson-Weller, A., Zaia, J., Raum, M. G. and Coligan, J. E., Decay accelerating factor (DAF) peptide sequences share homology with a consensus sequence

found in the superfamily of structurally related complement proteins and other proteins including haptoglobin, factor XIII, 2-glycoprotein 1, and the IL-2 receptor, 307
Nolte, R., see Vogt, W., 209
Nydegger, U. E. and Wegmüller, E., Role of immune complexes in pathogenesis of renal disease, 229

Ogbimi, A. O., Oyeyinka, G. O. and Omu, A. E., ABO blood group incompatibility and infertility in Nigerian couples, 299
Okai, Y. and Yamashita, U., Different inducing activities for cytotoxic T cells by heterogeneous thymocyte-activating factors from SV40-transformed human embryo fibroblasts, 1
Okamoto, M., see Epstein, W. L., 59
Omu, A. E., see Ogbimi, A. O., 299
Oyeyinka, G. O., see Ogbimi, A. O., 299

Pálóczi, K., see Füst, G., 255
Parant, F., see Mouton, D., 335
Parant, M., see Mouton, D., 335
Petzer, A., see Dierich, M. P., 235
Pollack, S., see Yoffe, B., 15
Press, O. W., Vitetta, E. S. and Martin, P. J., A simplified microassay for inhibition of protein synthesis in reticulocyte lysates by immunotoxins, 37
Prokić, L. M., see Vilic, I. M., 271

Quimby, F. W., see Letwin, B. W., 79
Quintans, J., see Latta, S. L., 355

Raum, M. G., see Nicholson-Weller, A., 307
Redondo, J. M., López-Guerrero, J. A. and Fresno, M., Potentiation of interleukin-2 activity by levamisole and imidazole, 11
Reimann, J., see Brucker, C., 121
Ruben, L. N., see Langeberg, L., 103

Salerno, A., see Dieli, F., 49
Sarmay, G., see Gergely, J., 243
Schaaf-Lafontaine, N., see Cormann, N., 29
Schattner, A., The origin of autoantibodies, 143
Schifferli, J. A., The classical pathway of complement prevents the formation of insoluble antigen–antibody complexes: biological implications, 225
Schulz, T. F., see Dierich, M. P., 235
Seeman, P., see Kohno, A., 75
Sela, M., see Jacob, C. O., 43
Seow, W. K. and Thong, Y. H., Bacteria-phagocyte interactions: *Fusobacterium*-induced secretion of a neutrophil self-regulatory factor, 95
Shiigi, S., see Langeberg, L., 103
Sim, R. B., Malhotra, V., Day, A. J. and Erdei, A., Structure and specificity of complement receptors, 183
Simar, L. J., see Cormann, N., 29
Singh, V. K. and Fudenberg, H. H., Lymphocyte stimulation in vitro by orosomucoid glycoprotein, 9
Siraganian, R. P., see Stracke, M. L., 287
Sjöholm, A. G., see Laurell, A.-B., 249
Smith, R. A., see White, L. L., 87
Spitalny, G. L., see Latta, S. L., 355
Spužić, I. V., see Vilic, I. M., 271
Stauder, R., see Dierich, M. P., 235
Stracke, M. L., Basciano, L. K. and Siraganian, R. P., Binding properties and histamine release in variants of rat basophilic leukemia cells with changes in the IgE receptor, 287
Suya, H., see Epstein, W. L., 59
Szegedi, G., see Füst, G., 255

Thong, Y. H., see Seow, W. K., 95
Tromholt, V., see Bubeník, J., 325
Tsang, K. Y., see Johnson, E., 159
Tursz, T., see Junqua, S., 167

Van Bohemen, Ch. G., Weterings, E., Nabbe, A. J. J. M., Mulder, C. J. J., Goe The, H. S. and Zanen, H. C., Raised serum IgA to common cell envelope antigens supports enterobacterial inductive contribution to pathogenesis of secondary ankylosing spondylitis, 303
Van Boven, C. P. A., see Antonissen, A. C. J. M., 21
Van Dijk, H., see Beekhuizen, H., 69
Van Es, L. A., see Daha, M. R., 217
Van Rooijen, N., Kors, N. and Claassen, E., In vivo effects of lipopolysaccharide on lymphoid and non-lymphoid cells in the mouse spleen. Suppressive and adjuvant effects of LPS on the development of specific antibody forming cells in situ, 313
Van den Bosch, J. F., see Antonissen, A. C. J. M., 21
Vandenberg, R. J. and Easterbrook-Smith, S. B., Activation of the classical complement pathway by BioRex-70, 155
Varga, L., see Füst, G., 255
Vedeler, C. A., see Matre, R., 321
Veerhuis, R., see Daha, M. R., 217
Vilić, I. M., Prokić, L. M. and Spužić, I. V., Modulation of guinea pig peritoneal macrophage migration in vitro: effects of protease inhibitors, 271
Vitetta, E. S., see Press, O. W., 37
Vogt, W., Von Zabern, I., Hesse, D., Nolte, R. and Haller, Y., Generation of an activated form of human C5 (C5b-like C5) by oxygen radicals, 209
Von Zabern, I., see Vogt, W., 209

Wagner, H., see Brucker, C., 121
Walker, L., Farris, M. A. and Johnson, G. D., The IgA subclass responses of human lymphocytes to B-cell activators, 65
Wang, S. Y., see Liu, Y. G., 117
Wegmüller, E., see Nydegger, U. E., 229
Weterings, E., see Van Bohemen, Ch. G., 303
White, L. L. and Smith, R. A., In vitro sensitization using thymocyte conditioned medium prepared from fetal calf, horse and rabbit sera, 87
Wiels, J., see Junqua, S., 167

Willers, J. M. N., see Beekhuizen, H., 69
Wilson, J. G., see Kazatchkine, M. D., 191
Wórum, I., see Fülöp, T., Jr., 283

Yamashita, U., see Okai, Y., 1
Yoffe, B., Pollack, S., Ben-Porath, E., Zinder, O., Barzilai, D. and Gershon, H., Natural killer cell activity in post-necrotic cirrhotic patients as related to hepatitis-B virus infection and plasma zinc levels, 15

Zaia, J., see Nicholson-Weller, A., 307
Zanen, H. C., see Van Bohemen, Ch. G., 303
Zav'yalov, V. P. and Denesyuk, A. I., Human adult T-cell leukaemia virus (ATLV) genome codes for the protein pX27 structurally homologous to immunoglobulin-like part of HLA-DQ antigen, 139
Zinder, O., see Yoffe, B., 15